

Work Order ID 147804

Wednesday, June 15, 2016 8:15:07 AM

147804

Page 1

Item ID: D2500-3-100

Accept

Revision ID:

N900040100Setup Start ***NS1***

Item Name: Ext'n -1' Beam Web 4"

Stop ***NS2***

Start Date: 6/20/2016 Start Qty: 50.00

Required Date: 7/15/2016 Req'd Qty: 50.00

Cust Item ID:

Customer:

Reference:

Approvals: Process Plan: MLJ Date: **JUN 15 2016** Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____Run Start ***NR1***
Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D2500	Rev H

100

0.00

100

Purchasing

PURCHASING

Memo

0.00

Issue P/O: 32729
a) Extrude as per Dwg D2500
b) Material: 6061-T6 (QQ-A-200/8)
c) Minimum yield tensile strength = 35 ksi
d) Minimum ultimate tensile strength = 38 ksi
e) Minimum elongation = 8%
f) Order at 100" long
g) Caradon Indalex Tool # MS-18867
h) To be packed per DSK 066
i) Pull test to ASTM standard B221 required.
j) Material certification is required

168

JUN 17 2016

DAS
13
9-89

110

Receive & Inspect for Damage & Mat'l Certs 0.00

110

Packaging

Memo

0.00

Packaging

Ensure material certification is attached

189k 8p16-8-4.

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval	
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due	☐ Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter		☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes		☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center		☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence	
		OTHER :							

Work Order ID 147804

Wednesday, June 15, 2016 8:15:07 AM

147804

Page 2

Item ID: D2500-3-100

Accept

N900040100

Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Ext'n - 'I' Beam Web 4"

Start Date: 6/20/2016 Start Qty: 50.00

50

Cust Item ID:

Required Date: 7/15/2016 Req'd Qty: 50.00

50

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start ***NR1***

QC:

Date:

SPC (Y/N):

Date:

Stop ***NR2***

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

120

QC6- Inspect dimensions to drawing

0.00

120

QC

Quality Control

Memo

0.00

Check Pull test per Dwg D2500 for compliance page attached. Check hardness with Webster tester

(189) 160804 AD

130

Identify as per dwg & Stock Location: LG002

0.00

130

Packaging

Packaging

Memo

0.00

R.L (189) 16-08-05

140

QC21- Final Inspection - Work Order Release

0.00

140

QC

Quality Control

Memo

0.00

DAS
21
9-89

AUG 05 2016

SL 8/5/16

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
OTHER : ☐									

Picklist Print

Wednesday, June 15, 2016 8:15:13 AM

Page 1

Work Order ID: 147804

Parent Item: D2500-3-100

Parent Item Name: Ext'n - I' Beam Web 4"

147804

D2500-3-100

Start Date: 6/20/2016

Required Date: 7/15/2016

Start Qty: 50.00

Required Qty: 50.00

Comments: IPP: E02.09.10Added DSK 066 KJ
IPP F 07.07.06 rev G dwg EC IPP Rev:G as per
dwg revH DD 10.02.23 verified byEC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D2500-3-100P

Purchased

No

110

Each

0.0000

1

D2500-3-100P

Ext'n - I' Beam Web 4"

**

50
168

189x SP/168-4

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	Design ☐	Doc/Data ☐	Equip/Tooling ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Handling/Pre ☐	Material ☐	Internal Transport ☐	Tribal Knowledge ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
LOA ☐	Substation ☐	Past Expiry Date ☐	Misidentified ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
				Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
				Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
				Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
				Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
				Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
				Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
				Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
				OTHER : _____			

SPECIFICATION CONTROL DRAWING

D2500-1-XXX EXTRUSION & D2500-3-XXX EXTRUSION

NOTES:

- 1) MATERIAL: 6061-T6 ALUMINUM PER QQ-A-200/8 OR AMS-QQ-A-200/8 OR ASTM B221

MINIMUM TENSILE YIELD STRENGTH = 35 KSI
MINIMUM ULTIMATE TENSILE STRENGTH = 38 KSI
MINIMUM ELONGATION = 8%

A SAMPLE FROM EACH BATCH WILL BE PULL TESTED TO ASTM STANDARD B221 BY AN APPROVED TESTING FACILITY TO ENSURE THAT THE BATCH MEETS THE ABOVE MINIMUM MECHANICAL PROPERTIES

- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART B/N USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: D2500-1 = 0.143 lb/in, D2500-3 = 0.066 lb/in
- 8) FOR D2500-1 PART NUMBER IS D2500-1-XXX WHERE XXX IS CUT LENGTH (EX. D2500-1-190 IS 190" LONG). D2500-1 EXTRUSION MANUFACTURED FROM:
- A) BON L DIE # 897105 -> PREFERRED
 - B) CARADON MIDEAST DIE # PAH-28030
 - C) CARADON MTL DIE # MH-18868
- 9) FOR D2500-3, PART NUMBER IS D2500-3-XXX WHERE XXX IS CUT LENGTH IN INCHES (EX. D2500-3-100 IS 100" LONG). D2500-3 EXTRUSION MANUFACTURED FROM:
- A) CARADON INDALEX DIE # MS-18867

TOP COPY
RETURN TO
ENGINEERING
CONTROLLED COPY
NOT TO BE AMENDMENT
NOT NOTICE

ORDER
147-804 MJS
1606-13

RELEASED
2010-02-02
WJP

H	REDRAW & REFORMAT DWG, CORRECT BON L DIE # TPO (ZN 88-1), ADD AMS & ASTM MAT'L OPTION (ZN 08-1), TOLERANCES NOW PER CARADON DWG (SHT 2)	CP	09.07.16
G	ADD DIE NUMBERS & 'DIMS IN INCHES' NOTES	PH	07.04.17
F	CHANGE MAT. TO 6061-T6	DS	97.09.29
E	CHANGE MATERIAL TEMPER	DS	96.10.24
D	ADD MATERIAL PROPERTIES	DS	96.10.07
C	ADD D2500-3 WEB	BW	96.04.26
B	CHANGE INTERNAL WEB	DS	96.03.24
A	NEW ISSUE	DS	96.03.19
REV.	DESCRIPTION	BY	DATE
DESIGN	4		
DRAWN	4		
CHECKED	PH		
MFG. APPR.	WJP		
APPROVED	WJP		
DE APPR.	WJP		
DATE	09.07.16		

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. REV. H
D2500 SHEET 1 OF 2
TITLE SCALE
EXTRUSION NTS

COPYRIGHT © 1996 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIES OR DISSEMINATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE


QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					



D2500-1



D2500-3

RELEASED
2010-02-02
MP

DESIGN	4	DART AEROSPACE LTD	
DRAWN	GP	HAWKESBURY, ONTARIO, CANADA	
CHECKED	BA	DRAWING NO.	REV. H
MFG. APPR.		D2500	SHEET 2 OF 2
APPROVED		TITLE	SCALE
DE APPR.		EXTRUSION	NTS
DATE	09.07.16	COPYRIGHT © 1996 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO32729

Purchase Order Date 6/16/2016

PO Print Date 6/17/2016

Page Number 1 of 2

Order From :

VC-SAP001

Ship To : DART AEROSPACE LTD

SAPA CANADA INC
C/O M91634
P.O. BOX 11634 SUCCURSALE CENTRE VILLE
MONTREAL, QUEBEC H3C 5Y9
CANADA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

E-MAILED

JUN 17 2016

Contact Name

Vendor Phone 877-922-7272

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Ship To Contact

Terms

Net 30

Ship To Phone

Currency

CAD



Ship Via:

Yours ppd

FOB

FCA - (Free Carrier)

Ship Acct:

Line Nbr	Reference Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
	Line Comments		Promise Date				
	Delivery Comments						
1	D2500-3-100B	Ext'N - 'I' Beam Web 4"	8/11/2016		168.00	\$17.17	\$2,885.00
			Yes		Each		
	EXTRUDE AS PER DWG D2500 REV. H MAT: 6061-T6 (QQ-A-200/8) MIN. YIELD TENSILE STRENGTH = 35 KSI MIN. ULTIMATE TENSILE STRENGTH = 38 KSI MIN. ELONGATION = 8% LENGTH: 100"		8/11/2016				
	EXTREME CARE MUST BE TAKEN TO PROTECT THE OUTSIDE SURFACE OF THE TUBE. THE OUTSIDE SURFACE MUST BE SMOOTH AND FREE FROM SURFACE DEFECTS SUCH AS SCRATCHES, NICKS, OR DENTS						
	MUST BE WELL PACKAGE, IF NOT IT WILL BE REFUSE						
							
							
	Line Total:						\$2,885.00
2	71401-45	PROCUREMENT QUALITY CLAUSES	8/11/2016		1.00	\$0.00	\$0.00
			No				
	Procurement Quality Clauses		8/11/2016				
	A005 right of entry						
	A012 chemical and physical test report						
	A016 personnel qualification						
	A017 raw material identification (as applicable)						
	A026 certification of material conformance						
	A041 quality management system						
	A042 dart notification by supplier						
	A043 retention of quality documents						

Note:

6/17/2016

sapa:

Adresse Postale: Sapa Canada, Inc
325, rue Avro
Pointe-Claire Québec H9R 5W3
Téléphone: (514) 697-5120
Télécopieur: (514) 694-8310

Packing Slip / Détail de Livraison

Packing Slip No /
Bon de Livraison 66575

Order no/
Commande 6061098 1

Ship to/Expédiée à

DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY, ONT


Sold to/Vendu à

DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY, ONT

Special Instr / Instr. Spéciales

K6A1K7

K6A1K7

Cust No/No du Client 201355		Cust No/No du Client 32729		PPD/PAYÉ X	Ord Dte/Dte Comm 16/06/17		Our Ord Dte/ Notre Dte la Comm 16/06/17		Sapa G.S.T #: R857314058	
PST/TPV *6122-5207			Terms/Cond		Date Required/ Date Requite		Shipped/ Expédiée 16/08/01		Shipped Via/ Expédiée Par OTTAWA-OUEST 2 AOUT	
Item No	Ordered Weight Pcs/ Commande Poids Pcs	Sapa Die no/ Matrice d'Sapa	Customer Description/ Description de Client	Alloy & Temper/ Alliage et Trempeage	Length Longueur	Backorder Wgt Pcs Arrière Poids Pcs	This Shipment Bdls Wgt Pcs Com Expédiée Ballots Poids Pcs			
1	502 168		DUE=2016/08/11 AU11 D2500-3 MS 18867 D2500-3-100 6061 T6 2540 MM BUNDLE= 1253753 1253759				2 541 189 POIDS EN KGS			
We ch As	hereby certify that the material supplied meets the chemical properties as published by the Aluminum Association and requirements of our Quality procedures									
										

Aluminum Extrusions - Anodizing - Fabrication - Painting
Profils D'Aluminium - Anodisation - Fabrication - Peinture

The above items were received in good order.
Les articles ci-dessus ont été reçus en bon ordre.

By/Par.....